



LACSPACE

Developer Documentation

[MailKit](#) — email for backends

@lacspace/mailer

Zero-dependency SMTP client

[v1.0.4](#) · [zero dependencies](#) · [Node](#) · [generated 2026-09-01](#)

Overview

Send email over raw Node net/tls — STARTTLS, AUTH, MIME with attachments — with no npm dependencies. Provider presets make Hostinger, Gmail, Outlook, Zoho & more a one-liner. Node only.

NOTE

When to use — Sending transactional email over raw SMTP with zero npm dependencies (Node only).

Package: @lacspace/mailer · v1.0.4

Kit: MailKit — email for backends

Runtime: zero dependencies · Node

Install

```
npm i @lacspace/mailer
```

Quick example

```
createMailer(presets.hostinger({ user, pass })).send({ to, subject, html })
```

Returns: { **messageId**, **accepted** }

Tips & warnings

TIP

`mailerFromEnv()` reads `SMTP_*` vars; presets exist for Hostinger, Gmail, Outlook, Zoho and more.

TIP

Compose bodies with @lacspace/email-templates for bulletproof, dark-mode-safe HTML.

TIP

Zero-dependency and isomorphic — safe to import on the server, in the browser, on the edge and in React Native. It tree-shakes, so you only ship what you import.

WARNING

This is Node-only (uses `node:net`/`node:tls`), so it won't run on the edge runtime.

Links & full reference

- npm: <https://www.npmjs.com/package/@lacspace/mailer>
- Source & full README: <https://github.com/lacspace/npm-packages/tree/main/mailer>

- Docs: lacspace.com/docs/mailer

The npm page and GitHub README carry the complete API reference and more examples.

LACSPACE
DEVELOPER DOCS